

Sample ID	Description	Producer	Location	Proximate / ultimate dry wt. basis																SiO2	Al2O3	TiO2
				MC	Ash	Volatiles	Fixed C	GCV (GJ/Mg)	GCV (Btu/lb)	NCV (cV) (GJ/Mg)	NCV (cP) (GJ/Mg)	C	H	N	S	O	Cl	F	Hg			
130517A	Screened curbside YW	WRR	Gainesville	51.11%	7.79%	73.65%	18.53%	19.37	8,326	18.19	18.12	48.40%	5.73%	0.57%	0.03%	37.48%	420	< 5.0	< 0.02	38.00%	1.46%	0.17%
130517B	Brush	WRR	Gainesville	33.64%	5.08%	78.32%	16.58%	19.45	8,361	18.22	18.15	49.16%	5.95%	0.43%	0.02%	39.37%	210	< 5.0	< 0.02	43.78%	1.43%	0.15%
130521A	Brush	WRR	Jacksonville / Adkison	40.37%	4.34%	77.63%	18.01%	19.48	8,373	18.26	18.19	49.52%	5.95%	0.50%	0.02%	39.67%	412	< 5.0	0.01	66.42%	0.70%	0.18%
130524A	Brush and residential YW, hand screened	Hernando Co.	Ridge Manor	12.41%	8.28%	75.44%	16.26%	18.37	7,896	17.18	17.11	48.61%	5.76%	0.60%	0.02%	36.73%	310	< 5.0	< 0.02	78.77%	1.39%	0.17%
130524B	Brush	WRR	Ocala	35.10%	4.13%	77.41%	18.45%	19.36	8,322	18.16	18.09	49.11%	5.80%	0.43%	0.01%	40.52%	273	< 5.0	0.01	57.85%	1.28%	0.16%
																				56.96%	1.25%	0.17%

Mineral Ash (dry basis wt %)

Fe2O3	CaO	MgO	K2O	Na2O	SO3	P2O5	SrO	BaO	MnO	SUM
0.81%	20.06%	2.47%	3.87%	0.55%	1.26%	2.02%	0.05%	0.02%	0.15%	70.89%
0.69%	25.94%	2.65%	4.80%	0.71%	2.05%	3.64%	0.20%	0.44%	0.16%	86.64%
0.63%	17.88%	1.97%	4.61%	0.76%	1.53%	1.98%	0.16%	0.02%	0.08%	96.92%
0.51%	11.63%	0.98%	1.31%	0.16%	0.60%	1.16%	0.03%	0.01%	0.06%	96.78%
0.55%	24.47%	2.12%	4.53%	0.41%	1.32%	3.13%	0.05%	0.01%	0.11%	95.99%
0.64%	20.00%	2.04%	3.82%	0.52%	1.35%	2.39%	0.10%	0.10%	0.11%	