



- CUSTOMER CONNECTIONS**
- 1 THRU 7 SAMPLE INLETS: 1/4" COMP. (S.S.)
 - 8 HIGH PRESSURE BLOWDOWN OUTLET: 1 1/2" MNPT (S.S.)
 - 9 PRIMARY COOLING WATER OUTLET: 2" MNPT (S.S.)
 - 10 PRIMARY COOLING WATER INLET: 2" MNPT (S.S.)
 - 11 SINK DRAIN: 2" PIPE STUB (S.S.)
 - 12 INSTRUMENT AIR INLET: 1/4" COMP. (S.S.)
 - 13 SIGNAL WIRING ACCESS: 6"x6" CUTOUT WITH 8"x8" COVER
 - 14 POWER WIRING ACCESS: 6"x6" CUTOUT WITH 8"x8" COVER
 - 15 ϕ 5/8" MOUNTING HOLES FOR 1/2" BOLTS.

- (7) DUAL CHANNEL CONDUCTIVITY ANALYZERS
- (3) DUAL CHANNEL pH ANALYZERS
- (1) SINGLE CHANNEL pH ANALYZER

SHEET 1 OF 1

REVISIONS	WARNING FOR YOUR SAFETY IT IS SOLELY THE RESPONSIBILITY OF THE END USER TO PROTECT THEIR OWN INTERESTS AND THOSE OF THE PUBLIC BY USING THE PRODUCTS AND MATERIALS SPECIFIED FOR THEIR SPECIFIC APPLICATION REQUIREMENTS AND NOT TO USE THEM FOR OTHER PURPOSES. NEVER SELECT, INSTALL, OR MAINTAIN OR REPAIR EQUIPMENT UNLESS YOU ARE A QUALIFIED PERSONNEL SUBJECT TO LIMITED TRAINING AND DISCLOSURE SET FORTH IN THE APPLICABLE PROPOSAL AND/OR PURCHASE AGREEMENT AND LABEL HEREON. WE DISCLAIM ALL OTHER WARRANTIES, INCLUDING BUT NOT LIMITED TO MERCHANTABILITY OF FITNESS FOR PARTICULAR PURPOSE.	NOTE: THIS DOCUMENT IS CONFIDENTIAL AND CONTAINS INFORMATION WHICH IS PROPRIETARY TO SEC IT IS PROVIDED IN CONFIDENCE AND UPON THE CONDITION THAT NEITHER IT NOR THE INFORMATION CONTAINED IN IT WILL BE COPIED, DISCLOSED, OR USED IN WHOLE OR IN PART WITHOUT THE PRIOR WRITTEN CONSENT OF SEC. REMOVE ALL BURRS AND SHARP EDGES UNLESS OTHERWISE NOTED.	<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <th colspan="2">DO NOT SCALE DWG. UNLESS OTHERWISE SPECIFIED</th> </tr> <tr> <th colspan="2">TOLERANCES FOR ALL DIMENSIONS UNLESS OTHERWISE SPECIFIED</th> </tr> <tr> <th>MACH. PARTS</th> <th>STRUCT.</th> </tr> <tr> <td>1/X ± 1/8</td> <td>± 1/2</td> </tr> <tr> <td>X ± 0.1</td> <td>± 0.3</td> </tr> <tr> <td>XX ± 0.01</td> <td>± 0.05</td> </tr> <tr> <td>XXX ± 0.005</td> <td>± 0.030</td> </tr> <tr> <td>ANG ± 1/2'</td> <td>± 1'</td> </tr> </table>	DO NOT SCALE DWG. UNLESS OTHERWISE SPECIFIED		TOLERANCES FOR ALL DIMENSIONS UNLESS OTHERWISE SPECIFIED		MACH. PARTS	STRUCT.	1/X ± 1/8	± 1/2	X ± 0.1	± 0.3	XX ± 0.01	± 0.05	XXX ± 0.005	± 0.030	ANG ± 1/2'	± 1'	 SENTRY EQUIPMENT CORP OCONOMOWOC, WI 53066 USA GAINESVILLE RENEWABLE ENERGY SAMPLE AND ANALYSIS SYSTEM GENERAL ARRANGEMENT
	DO NOT SCALE DWG. UNLESS OTHERWISE SPECIFIED																			
	TOLERANCES FOR ALL DIMENSIONS UNLESS OTHERWISE SPECIFIED																			
	MACH. PARTS	STRUCT.																		
1/X ± 1/8	± 1/2																			
X ± 0.1	± 0.3																			
XX ± 0.01	± 0.05																			
XXX ± 0.005	± 0.030																			
ANG ± 1/2'	± 1'																			
	<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td>FILENAME: 04816801</td> <td>DATE: 10/11/11</td> <td>DATE: APPROVED</td> </tr> <tr> <td>DRAWN: TMM</td> <td>CHECKED:</td> <td>DATE: APPROVED</td> </tr> <tr> <td>THIRD ANGLE PROJECTION</td> <td>DWG NO: 10-04816B</td> <td>REVISION: 0</td> </tr> </table>	FILENAME: 04816801	DATE: 10/11/11	DATE: APPROVED	DRAWN: TMM	CHECKED:	DATE: APPROVED	THIRD ANGLE PROJECTION	DWG NO: 10-04816B	REVISION: 0										
FILENAME: 04816801	DATE: 10/11/11	DATE: APPROVED																		
DRAWN: TMM	CHECKED:	DATE: APPROVED																		
THIRD ANGLE PROJECTION	DWG NO: 10-04816B	REVISION: 0																		