



**GENERAL NOTES**

- HOSE BIBBS SHALL BE 3/4" I.D., 50 FT LONG, 300 PSI WORKING PRESSURE QUICK CONNECT WITH HIGH CAPACITY SPRING REWIND HOSE REELS.

**REFERENCE DRAWINGS**

- ANNOTATIONS, ABBREVIATIONS, ASSOCIATIONS PROCESS AND INSTRUMENTATION DIAGRAM MECHANICAL & INSTRUMENTATION SYMBOLS D014200-AAAM01001 SH01 AND SH02
- METSO SERVICE & INSTRUMENT AIR A (P00028070 R2) M014200-BLRD00036 SH01 R3

NO.	REVISION	DATE	DRWN	DSND	CHKD	CHKD
2	LINE # 1114 & 1121 UPDATES	5/21/12	MSR	JKT	NSR	AKC
1	GENERAL REVISIONS	11/02/11	AEN	KWB	DJR	AMC
0	ISSUED FOR CONSTRUCTION					



ZACHRY ENGINEERING CORPORATION - 1515 ARAPAHOE STREET, TOWER 1, SUITE 900, DENVER, CO 80202-4258  
 1500 BROADWAY, SUITE 200, CHARLOTTE, NC 28202-4258  
 1000 BROADWAY, SUITE 200, HOUSTON, TX 77002-4258  
 1000 BROADWAY, SUITE 200, MINNEAPOLIS, MN 55402-4258  
 1000 BROADWAY, SUITE 200, SAN ANTONIO, TX 78202-4258

**GAINESVILLE RENEWABLE ENERGY CENTER**  
 SERVICE AIR SYSTEM  
 PROCESS & INSTRUMENTATION DIAGRAM

NO.	REVISION	DATE	DRWN	DSND	CHKD	CHKD
1	GENERAL REVISIONS	11/02/11	AEN	KWB	DJR	AMC
0	ISSUED FOR CONSTRUCTION					

DRWN: P. OMELIANCHUK, DESIGNED: K. BULTRYMOWICZ, CHECKED: P. OMELIANCHUK, SHEET: 01  
 APPROVED: [Signature], DRAWING NUMBER: D014200-SASM01001, REV: 2

